# Safety data sheet

According to 1907/2006/EC (REACH), 2015/830/EU

# ADHESIVO CARBOTEC IMPREGNACIÓN (Comp. B)







# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: ADHESIVO CARBOTEC IMPREGNACIÓN (Comp. B)

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Hardener for adhesives. For professional user/industrial user only.

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

Grupo Puma SL

Parque Industrial Trévenez. Calle Conrado del Campo, nº 2 - 1<sup>a</sup> Planta

29590 Campanillas - Málaga - Spain

Phone.: +34 901 11 69 12 -Fax: +34 957 44 19 92 fds@grupopuma.com www.grupopuma.com

**1.4 Emergency telephone number:** 901 11 69 12 (Horario de atención: 08:30 – 13:30 y de 16:00 – 19:00)

# **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1 Classification of the substance or mixture:

### CLP Regulation (EC) nº 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) no 1272/2008.

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard, Category 1, H410

Repr. 2: Reproductive toxicity, Category 2, H361fd Skin Corr. 1B: Skin corrosion, Category 1B, H314

2.2 Label elements:

### CLP Regulation (EC) nº 1272/2008:

### Danger







### **Hazard statements:**

Very toxic to aquatic life with long lasting effects

Suspected of damaging fertility. Suspected of damaging the unborn child.

Causes severe skin burns and eye damage

### **Precautionary statements:**

Do not breathe vapours

Wear protective gloves/protective clothing/eye protection/face protection

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center/doctor

Dispose of the contents/containers in accordance with the current legislation on waste treatment

### Substances that contribute to the classification

Poly[oxy(methyl-1,2-ethanediyl)],a-(2-aminomethylethyl)-w-(2-aminomethylethoxy)-; Nonylphenol; Polyamina adduct

### 2.3 Other hazards:

Non-applicable

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Mixture of substances

Components:

In accordance with Annex II of Regulation (EC) no1907/2006 (point 3), the product contains:

Date of compilation: 06/03/2017 Version: 1 Page 1/11



# Safety data sheet According to 1907/2006/EC (REACH), 2015/830/EU

# ADHESIVO CARBOTEC IMPREGNACIÓN (Comp. B)







# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Identification		Chemical name/Classification		Concentration
CAS: 9046-10-0 EC: Non-applicable	Poly[oxy(methyl-1,2 aminomethylethoxy)	-ethanediyl)],a-(2-aminomethylethyl)-w-(2- )-	Self-classified	
Index: Non-applicable REACH: Non-applicable	Regulation 1272/2008	Skin Corr. 1B: H314 - Danger	<b>\$</b>	50 - <100 %
CAS: 25154-52-3	Nonylphenol	·	ATP CLP00	
EC: 246-672-0 Index: 601-053-00-8 REACH: Non-applicable	Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Repr. 2: H361fd; Skin Corr. 1B: H314 - Danger		10 - <25 %
CAS: Non-applicable	Polyamina adduct		Self-classified	
EC: Non-applicable Index: Non-applicable REACH: Non-applicable	Regulation 1272/2008	Aquatic Chronic 3: H412; Asp. Tox. 1: H304; Eye Dam. 1: H318; Skin Corr. 1B: Danger	H314 -	10 - <25 %

To obtain more information on the risk of the substances consult sections 8, 11, 12, 15 and 16.

# **SECTION 4: FIRST AID MEASURES**

# 4.1 Description of first aid measures:

Request medical assistance immediately, showing the SDS of this product.

### By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

### By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

# By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

### By ingestion/aspiration:

Request immediate medical assistance, showing the SDS of this product. Do not induce vomiting, because its expulsion from the stomach can be hazardous to the mucus of the main digestive tract, and its inhalation, to the respiratory system. Rinse out the mouth and throat, as they may have been affected during ingestion. In the case of loss of consciousness do not administrate anything orally unless supervised by a doctor. Keep the person affected at rest.

### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

### 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

# **SECTION 5: FIREFIGHTING MEASURES**

### 5.1 Extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. IT IS NOT RECOMMENDED to use tap water as an extinguishing agent.

### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

# **Additional provisions:**

# Safety data sheet

According to 1907/2006/EC (REACH), 2015/830/EU

# ADHESIVO CARBOTEC IMPREGNACIÓN (Comp. B)







# SECTION 5: FIREFIGHTING MEASURES (continued)

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

### 6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

# 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

### 6.4 Reference to other sections:

See sections 8 and 13.

# **SECTION 7: HANDLING AND STORAGE**

### 7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, manipulation and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

PREGNANT WOMEN SHOULD NOT BE EXPOSED TO THIS PRODUCT. Transfer in fixed places that comply with the necessary security conditions (emergency showers and eyewash stations in close proximity), using personal protection equipment, especially on the hands and face (See section 8). Limit manual transfers to containers of small amounts. Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.:  $5 \, ^{\circ}\text{C}$  Maximum Temp.:  $25 \, ^{\circ}\text{C}$ 

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters:

Date of compilation: 06/03/2017 Version: 1 Page 3/11

# Safety data sheet According to 1907/2006/EC (REACH), 2015/830/EU

# ADHESIVO CARBOTEC IMPREGNACIÓN (Comp. B)







# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Substances whose occupational exposure limits have to be monitored in the work environment

There are no occupational exposure limits for the substances contained in the product

### **DNEL (Workers):**

Non-applicable

### **DNEL (General population):**

Non-applicable

PNEC:

Non-applicable

### 8.2 Exposure controls:

A.- General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protection Equipment, with the corresponding <<CE marking>> in accordance with Directive 89/686/EC. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

### B.- Respiratory protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory respiratory tract protection	Filter mask for gases and vapours	CAT III	EN 405:2001+A1:2009	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment.

# C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	NON-disposable chemical protective gloves	CAT III	EN 374-1:2003 EN 374-3:2003/AC:2006 EN 420:2003+A1:2009	The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being used. Do not use protective creams after the product has come into contact with skin.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application

### D.- Ocular and facial protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Face mask	CATII	EN 166:2001 EN 167:2001 EN 168:2001 EN ISO 4007:2012	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

# E.- Bodily protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory complete body protection	Disposable clothing for protection against chemical risks	CAT III	EN 13034:2005+A1:2009 EN 168:2001 EN ISO 13982- 1:2004/A1:2010 EN ISO 6529:2001 EN ISO 6530:2005 EN 464:1994	For professional use only. Clean periodically according to the manufacturer's instructions.
Mandatory foot protection	Safety footwear for protection against chemical risk	CAT III	EN ISO 20345:2011 EN 13832-1:2006	Replace boots at any sign of deterioration.

### F.- Additional emergency measures



### Safety data sheet According to 1907/2006/EC (REACH), 2015/830/EU

# ADHESIVO CARBOTEC IMPREGNACIÓN (Comp. B)







# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Emergency measure	Standards	Emergency measure	Standards
Emergency shower	ANSI Z358-1 ISO 3864-1:2002	Evewash stations	DIN 12 899 ISO 3864-1:2002

### **Environmental exposure controls:**

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

**Appearance:** 

Physical state at 20 °C: Liquid Appearance: Viscous Color: Yellowish Odor: Aminic

Odour threshold: Non-applicable \*

Volatility:

pH:

250 °C Boiling point at atmospheric pressure: Vapour pressure at 20 °C: 0 Pa

Vapour pressure at 50 °C: 0 Pa (0 kPa) Evaporation rate at 20 °C: Non-applicable \*

**Product description:** 

Vapour density at 20 °C:

980 kg/m3 Density at 20 °C: Relative density at 20 °C: Non-applicable \*

Dynamic viscosity at 20 °C: 180 cP

Kinematic viscosity at 20 °C: Non-applicable \* Kinematic viscosity at 40 °C: >20,5 cSt Non-applicable \* Concentration:

Partition coefficient n-octanol/water 20 °C: Non-applicable \* Solubility in water at 20 °C: Non-applicable \* Non-applicable \* Solubility properties: Decomposition temperature: Non-applicable \* Melting point/freezing point: Non-applicable \* Explosive properties: Non-applicable \*

Flammability:

Oxidising properties:

>120 °C Flash Point:

Non-applicable \* Flammability (solid, gas):

370 °C Autoignition temperature: Lower flammability limit: 1 % Volume Upper flammability limit: Non-applicable \*

9.2 Other information:

\*Not relevant due to the nature of the product, not providing information property of its hazards.

Non-applicable \*

Non-applicable \*

Non-applicable \*

Date of compilation: 06/03/2017 Version: 1 Page 5/11



# Safety data sheet

According to 1907/2006/EC (REACH), 2015/830/EU

# ADHESIVO CARBOTEC IMPREGNACIÓN (Comp. B)







# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Surface tension at 20 °C: Non-applicable \* Refraction index: Non-applicable \*

\*Not relevant due to the nature of the product, not providing information property of its hazards.

# SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

### 10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

### 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

### 10.5 Incompatible materials:

Acids	Water	Combustive materials	Combustible materials	Others
Avoid strong acids	Not applicable	Precaution	Not applicable	Avoid alkalis or strong bases

### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

## **Dangerous health implications:**

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure:

- A.- Ingestion (acute effect):
  - Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
  - Corrosivity/Irritability: Corrosive product, its consumption causes burns destroying the full thickness of fabrics. For more information on the secondary effects of contact with the skin see section 2.
- B- Inhalation (acute effect):
  - Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for inhalation. For more information see section 3.
  - Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Above all, skin contact may occur as fabrics of all thicknesses can be destroyed, resulting in burns. For more information on the secondary effects see section 2.
  - Contact with the eyes: Produces serious eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.
  - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
  - Reproductive toxicity: Suspected of damaging fertility. Suspected of damaging the unborn child.
- E- Sensitizing effects:

# Safety data sheet

According to 1907/2006/EC (REACH), 2015/830/EU

# **ADHESIVO CARBOTEC IMPREGNACIÓN (Comp. B)**







# SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.
- Cutaneous: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
  - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, however it does contain substances classified as dangerous for this effect. For more information see section 3.

### Other information:

Non-applicable

### Specific toxicology information on the substances:

Identification	Acute toxicity		Genus
Nonylphenol	LD50 oral	1600 mg/kg	Rat
CAS: 25154-52-3	LD50 dermal	2140 mg/kg	Rabbit
EC: 246-672-0	LC50 inhalation	Non-applicable	

# SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

### 12.1 Toxicity:

Identification		Acute toxicity	Species	Genus
Nonylphenol	LC50	0.135 mg/L (96 h)	Pimephales promelas	Fish
CAS: 25154-52-3	EC50	140 mg/L (48 h)	Daphnia magna	Crustacean
EC: 246-672-0	EC50	1.3 mg/L (72 h)	Scenedesmus subspicatus	Algae
Polyamina adduct	LC50	10 - 100 mg/L (96 h)		Fish
CAS: Non-applicable	EC50	10 - 100 mg/L		Crustacean
EC: Non-applicable	EC50	10 - 100 mg/L		Algae

# 12.2 Persistence and degradability:

Identification	Deg	radability	Biodegradability	
Nonylphenol	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 25154-52-3	COD	Non-applicable	Period	14 days
EC: 246-672-0	BOD5/COD	Non-applicable	% Biodegradable	0 %

## 12.3 Bioaccumulative potential:

Identification	Bioacc	Bioaccumulation potential		
Nonylphenol	BCF	90		
CAS: 25154-52-3	Pow Log	4.77		
EC: 246-672-0	Potential	Moderate		

# 12.4 Mobility in soil:

Identification	Absorp	Absorption/desorption		Volatility	
Nonylphenol	Koc	Non-applicable	Henry	Non-applicable	
CAS: 25154-52-3	Conclusion	Non-applicable	Dry soil	Non-applicable	
EC: 246-672-0	Surface tension	3,296E-2 N/m (25 °C)	Moist soil	Non-applicable	

# 12.5 Results of PBT and vPvB assessment:

Non-applicable

### 12.6 Other adverse effects:

Date of compilation: 06/03/2017 Version: 1 Page 7/11

### Safety data sheet

According to 1907/2006/EC (REACH), 2015/830/EU

# ADHESIVO CARBOTEC IMPREGNACIÓN (Comp. B)







# SECTION 12: ECOLOGICAL INFORMATION (continued)

Not described

# SECTION 13: DISPOSAL CONSIDERATIONS

# 13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
08 04 09*	Waste adhesives and sealants containing organic solvents or other dangerous substances	Dangerous

# Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic, HP8 Corrosive, HP10 Toxic for reproduction

# Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

### Regulations related to waste management:

In accordance with Annex II of Regulation (EC)  $n^{o}1907/2006$  (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

# SECTION 14: TRANSPORT INFORMATION

### Transport of dangerous goods by land:

With regard to ADR 2015 and RID 2015:



**14.1 UN number:** UN2735

**14.2 UN proper shipping name:** AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S. (Poly[oxy(methyl-1,2-ethanediyl)],a-(2-

aminomethylethyl)-w-(2-aminomethylethoxy)-; Nonylphenol)

14.3 Transport hazard class(es):

Labels: 8
14.4 Packing group: II
14.5 Dangerous for the Yes

environment:

14.6 Special precautions for user

Special regulations: 274
Tunnel restriction code: E

Physico-Chemical properties: see section 9

Limited quantities: 1 L

14.7 Transport in bulk according

to Annex II of Marpol and the IBC Code:

Non-applicable

Transport of dangerous goods by sea:

With regard to IMDG 37-14:

Date of compilation: 06/03/2017 Version: 1 Page 8/11

# Safety data sheet

According to 1907/2006/EC (REACH), 2015/830/EU

# ADHESIVO CARBOTEC IMPREGNACIÓN (Comp. B)







# SECTION 14: TRANSPORT INFORMATION (continued)

UN2735 14.1 UN number:

AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, 14.2 UN proper shipping name:

CORROSIVE, N.O.S. (Poly[oxy(methyl-1,2-ethanediyl)],a-(2aminomethylethyl)-w-(2-aminomethylethoxy)-; Nonylphenol)

14.3 Transport hazard class(es):

8 Labels:

14.4 Packing group: Π 14.5 Dangerous for the Yes

environment:

14.6 Special precautions for user

Special regulations: 274 FmS Codes: F-A, S-B Physico-Chemical properties: see section 9

Limited quantities:

14.7 Transport in bulk according to Annex II of Marpol and

the IBC Code:

Non-applicable

# Transport of dangerous goods by air:

With regard to IATA/ICAO 2015:



14.1 UN number: UN2735

14.2 UN proper shipping name: AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID,

CORROSIVE, N.O.S. (Poly[oxy(methyl-1,2-ethanediyl)],a-(2aminomethylethyl)-w-(2-aminomethylethoxy)-; Nonylphenol)

14.3 Transport hazard class(es):

Labels: 8 TT

14.4 Packing group: 14.5 Dangerous for the Yes environment:

14.6 Special precautions for user

Physico-Chemical properties: see section 9

14.7 Transport in bulk according to Annex II of Marpol and

the IBC Code:

Non-applicable

# **SECTION 15: REGULATORY INFORMATION**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) 1907/2006 (REACH): Nonylphenol

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Contains Nonylphenol

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

Date of compilation: 06/03/2017 Version: 1 Page 9/11

# Safety data sheet

According to 1907/2006/EC (REACH), 2015/830/EU

# ADHESIVO CARBOTEC IMPREGNACIÓN (Comp. B)







# SECTION 15: REGULATORY INFORMATION (continued)

Contains more than 0.1 % of Nonylphenol by weight. Shall not be placed on the market, or used, as substances or in mixtures in concentrations equal to or greater than 0,1 % by weight for the following purposes:

- (1) industrial and institutional cleaning except:
- controlled closed dry cleaning systems where the washing liquid is recycled or incinerated,
- cleaning systems with special treatment where the washing liquid is recycled or incinerated.
- (2) domestic cleaning;
- (3) textiles and leather processing except:
- processing with no release into waste water,
- systems with special treatment where the process water is pre-treated to remove the organic fraction completely prior to biological waste water treatment (degreasing of sheepskin);
- (4) emulsifier in agricultural teat dips;
- (5) metal working except:

uses in controlled closed systems where the washing liquid is recycled or incinerated;

- (6) manufacturing of pulp and paper;
- (7) cosmetic products;
- (8) other personal care products except:

### spermicides;

(9) co-formulants in pesticides and biocides. However national authorisations for pesticides or biocidal products containing nonylphenol ethoxylates as co-formulant, granted before 17 July 2003, shall not be affected by this restriction until their date of expiry.

Shall not be used in:

- —ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays.
- -tricks and jokes,
- —games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local circumstances in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product.

# Other legislation:

The product could be affected by sectorial legislation

### 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

# **SECTION 16: OTHER INFORMATION**

# Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830)

# Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Non-applicable

## Texts of the legislative phrases mentioned in section 2:

H314: Causes severe skin burns and eye damage

H410: Very toxic to aquatic life with long lasting effects

H361fd: Suspected of damaging fertility. Suspected of damaging the unborn child.

# Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

### CLP Regulation (EC) nº 1272/2008:

Acute Tox. 4: H302 - Harmful if swallowed

Aquatic Acute 1: H400 - Very toxic to aquatic life

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways

Eye Dam. 1: H318 - Causes serious eye damage

Repr. 2: H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage

**Classification procedure:** 

# Safety data sheet

According to 1907/2006/EC (REACH), 2015/830/EU

# **ADHESIVO CARBOTEC IMPREGNACIÓN (Comp. B)**







# SECTION 16: OTHER INFORMATION (continued)

Skin Corr. 1B: Calculation method Aquatic Chronic 1: Calculation method

Repr. 2: Calculation method

# Advice related to training:

Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

# Principal bibliographical sources:

http://esis.jrc.ec.europa.eu http://echa.europa.eu http://eur-lex.europa.eu

### **Abbreviations and acronyms:**

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand

BOD5: 5-day biochemical oxygen demand

BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50

Log-POW: Octanol—water partition coefficient Koc: Partition coefficient of organic carbon

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.